EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	585622	(("370"/("248", "252", "310", "328", 332-333, "338", "349", "395.2", "395.4", "395.52", "329", "456", "459", "913").ccls.) or ("455"/("67.11", "412.2", 418-421, "466", "422.1", 423-425, "434", "435.1", "458", "517", "556.2", 560-561). ccls.))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/07/03 13:06
L2	5	((THINH) near2 (NGUYENPHU)).INV.	US-PGPUB; USPAT; USOCR	OR	ON	2009/07/03 13:06
L3	8481	(Nokia adj Corporation).AS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/07/03 13:08
L4	7749	(((core near3 network) or node or switch or PDSN or gateway or GGSN) and (message or information or indicat\$3 or detect\$3 or monitor\$3 or signal \$3 or notify\$3 or notification or notif\$3) and ((mobile or wireless or portable) near3 (station or node or terminal or unit or device or apparatus)) and ((out near2 range) or (out near2 area) or (out near2 zone) or unavailable or unresponsive) and ((link or channel or connection) near9 (tear \$3 or releas\$3 or maintain\$3 or delay\$3 or paus\$3)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/07/03

L5	3276	(((core near3 network) or node or switch or PDSN or gateway or GGSN) and (message or information or indicat\$3 or detect\$3 or monitor\$3 or signal \$3 or notification or notif\$3) and ((mobile or wireless or portable) near3 (station or node or terminal or unit or device or apparatus)) and ((out near2 range) or (out near2 zone) or unavailable or unreachable or unreachable or unresponsive) and ((link or channel or connection) near9 (tear \$3 or releas\$3 or maintain\$3 or delay\$3 or paus\$3)) and ((monitor\$3 or detect \$3) with (BER or SNR or (signal adj strength) or (expir\$5 near7 tim \$3) or RSSI or pag\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/07/03
L6	438	or condition))) ((((core near3 network) or node or switch or PDSN or gateway or GGSN) with (message or information or indicat \$3 or detect\$3 or monitor\$3 or signal\$3 or notify\$3 or notification or notif\$3)) and ((mobile or wireless or portable) near3 (station or node or terminal or unit or device or apparatus) with ((out near2 range) or (out near2 area) or (out near2 area) or (out near2 area) or unavailable or unreachable or unresponsive)) and ((link or channel or connection) near9 (tear \$3 or releas\$3 or	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/07/03

amanamanamanamanamanamanamanamanamanama		maintain\$3 or delay\$3 or paus\$3)) and ((monitor\$3 or detect \$3) with (BER or SNR or (signal adj strength) or (expir\$5 near7 tim \$3) or RSSI or pag\$3 or condition)))				
17	343	((((core near3 network) or node or switch or PDSN or gateway or GGSN) near10 (message or information or indicat \$3 or detect\$3 or monitor\$3 or signal\$3 or notify\$3 or notification or notif\$3)) and ((mobile or wireless or portable) near3 (station or node or terminal or unit or device or apparatus) near10 ((out near2 range) or (out near2 area) or (out near2 zone) or unavailable or unresponsive)) and ((link or channel or connection) near9 (tear \$3 or releas\$3 or maintain\$3 or delay\$3 or paus\$3)) and ((monitor\$3 or detect \$3) with (BER or SNR or (signal adj strength) or (expir\$5 near7 tim \$3) or RSSI or pag\$3 or condition)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/07/03
L8	319	((((core near3 network) or node or switch or PDSN or gateway or GGSN) near10 (message or information or indicat \$3 or detect\$3 or monitor\$3 or signal\$3 or notify\$3 or notification or notif\$3)) and ((mobile or wireless or portable) near3 (station or node or terminal or unit or device or apparatus)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/07/03 13:26

		near10 ((out near2 range) or (out near2 area) or (out near2 zone) or unavailable or unreachable or unresponsive)) and ((link or channel or connection) near9 (tear \$3 or releas\$3 or maintain\$3 or delay\$3 or paus\$3)) and ((monitor\$3 or detect \$3) near10 (BER or SNR or (signal adj strength) or (expir\$5 near7 tim\$3) or RSSI or pag\$3 or condition)))				
L9	338	((((core near3 network) or node or switch or PDSN or gateway or GGSN) near10 (message or information or indicat \$3 or detect\$3 or monitor\$3 or signal\$3 or notify\$3 or notification or notif\$3)) and ((mobile or wireless or portable) near3 ((station or node or terminal or unit or device or apparatus) near10 ((out near2 range) or (out near2 area) or (out near2 zone) or unreachable or unreachable or unresponsive))) and ((link or channel or connection) near9 (tear \$3 or releas\$3 or maintain\$3 or delay\$3 or paus\$3)) and ((monitor\$3 or detect \$3) near10 (BER or SNR or (signal adj strength) or (expir\$5 near7 tim\$3) or RSSI or pag\$3 or condition)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/07/03

L10	218	((((core near3 network) or node or switch or PDSN or gateway or GGSN) near7 (message or information or indicat \$3 or detect\$3 or monitor\$3 or signal\$3 or notification or notif\$3)) and ((mobile or wireless or portable) near3 ((station or node or terminal or unit or device or apparatus) near7 ((out near2 range) or (out near2 range) or (out near2 zone) or unavailable or unreachable or unresponsive))) and ((link or channel or connection) near6 (tear \$3 or releas\$3 or maintain\$3 or delay\$3 or paus\$3)) and ((monitor\$3 or detect \$3) near6 (BER or SNR or (signal adj strength) or (expir\$5 near7 tim \$3) or RSSI or pag\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/07/03
	217	or condition))) ((((core near3 network) or node or switch or PDSN or gateway or GGSN) near7 (message or information or indicat \$3 or detect\$3 or monitor\$3 or signal\$3 or notify\$3 or notification or notif\$3)) and ((mobile or wireless or portable) near3 ((station or node or terminal or unit or device or apparatus) near7 ((out near2 range) or (out near2 zone) or unavailable or unreachable or unresponsive))) and	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/07/03 13:31

	((link or channel or connection) near6 (tear \$3 or releas\$3 or maintain\$3 or delay\$3 or paus\$3)) and ((monitor\$3 or detect \$3) near6 (BER or SNR or (signal adj strength) or (expir\$5 near7 tim \$3) or RSSI or pag\$3 or condition)) and (respond\$3 or response or acknowleg \$4 or present or presence or availab\$5 or reachab\$5))				
191	((((core near3 network) or node or switch or PDSN or gateway or GGSN) near7 (message or information or indicat \$3 or detect\$3 or monitor\$3 or signal\$3 or notify\$3 or notification or notif\$3)) and ((mobile or wireless or portable) near3 ((station or node or terminal or unit or device or apparatus) near7 ((out near2 range) or (out near2 area) or (out near2 zone) or unreachable or unreachable or unresponsive))) and ((link or channel or connection) near6 (tear \$3 or releas\$3 or maintain\$3 or delay\$3 or paus\$3)) and ((monitor\$3 or detect \$3) near6 (BER or SNR or (signal adj strength) or (expir\$5 near7 tim \$3) or RSSI or pag\$3 or condition)) and (respond\$3 or response or acknowleg \$4 or present or presence or availab\$5 or reachab\$5) and (data near7 (channel	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/07/03 13:32

		or connection or link)))				
.13		((((core near3 network) or node or switch or PDSN or gateway or GGSN) near7 (message or information or indicat \$3 or detect\$3 or monitor\$3 or signal\$3 or notification or notif\$3)) and ((mobile or wireless or portable) near3 ((station or node or terminal or unit or device or apparatus) near7 ((out near2 range) or (out near2 range) or (out near2 zone) or unavailable or unreachable or unresponsive))) and ((data near6 (link or channel or connection)) near6 (tear\$3 or releas\$3 or maintain\$3 or delay\$3 or paus\$3)) and ((monitor\$3 or detect \$3) near6 (BER or SNR or (signal adj strength) or (expir\$5 near7 tim \$3) or RSSI or pag\$3 or condition)) and (respond\$3 or response or acknowleg \$4 or present or presence or availab\$5 or reachab\$5))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/07/03
L14	0	((((core near3 network) or node or switch or PDSN or gateway or GGSN) near7 (message or information or indicat \$3 or detect\$3 or monitor\$3 or signal\$3 or notify\$3 or notification or notif\$3)) and ((mobile or wireless or portable) near3 ((station or node or terminal or unit or device or	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/07/03 13:34

		apparatus) near7 ((out near2 range) or (out near2 area) or (out near2 zone) or unavailable or unreachable or unresponsive))) and ((data near6 (link or channel or connection)) near6 (tear\$3 or releas\$3 or maintain\$3 or delay\$3 or paus\$3)) and ((monitor\$3 or detect \$3) near6 (BER or SNR or (signal adj strength) or (expir\$5 near7 tim \$3) or RSSI or pag\$3 or condition)) and (respond\$3 or response or acknowleg \$4 or present or presence or availab\$5 or reachab\$5)).clm.				
L15	30	I1 and I13	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/07/03 13:35
L16	0	l2 and l13	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/07/03 13:38
L17	1	l3 and l13	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/07/03 13:38
L18	0	((("370"/("252", "310", "328", "338", "349", "395.2").ccls.) or ("455"/("42", "67.11", "423." "424", "466", "560").ccls.)) and (((core near3 network) or node or switch or PDSN or gateway or GGSN) near7 (message or information or indicat \$3 or detect\$3 or monitor\$3 or signal\$3 or notify\$3 or	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/07/03 13:45

unreachable or unresponsive))) and ((data near6 (link or channel or connection)) near6 (tear\$3 or releas\$3 or maintain\$3 or delay\$3 or paus\$3)) and ((monitor\$3 or detect \$3) near6 (BER or SNR or (signal adj strength) or (expir\$5 near7 tim \$3) or RSSI or pag\$3 or condition)) and (respond\$3 or response or acknowleg	notification or notif\$3)) and ((mobile or wireless or portable) near3 ((station or node or terminal or unit or device or apparatus) near7 ((out near2 range) or (out near2 zone) or unavailable or		
\$3) near6 (BER or SNR or (signal adj strength) or (expir\$5 near7 tim \$3) or RSSI or pag\$3 or condition)) and (respond\$3 or response or acknowleg	unreachable or unresponsive))) and ((data near6 (link or channel or connection)) near6 (tear\$3 or releas\$3 or maintain\$3 or delay\$3 or paus\$3)) and		
presence or availab\$5	\$3) near6 (BER or SNR or (signal adj strength) or (expir\$5 near7 tim \$3) or RSSI or pag\$3 or condition)) and (respond\$3 or response or acknowleg \$4 or present or		

7/3/2009 1:46:29 PM

C:\ Documents and Settings\ mzewdu\ My Documents\ EAST\ Workspaces\ 10573760.wsp